

Ermes-Giò Order form



Order Quotation

Invoicing Details	Shipping Details			
Company name:	Ship to:			
Delivery date required://				
Delivery address:	CUSTOMER STAMP AND SIGNATURE			
P. Code.: Town:				
Tel.: Fax:				
# Order:/ Date of the Order://				

Pro Medicare srl grants **24 months** warranty on production defects from the date of the first put into service and **12 months** on covers and components subjected to wearing. Warranty is void if the product is used in any other way than stated in the Instruction Manual.


Note: Any request for variation in dimensions, materials and type compared to the standard does not have **CE** marking, therefore the professional user becomes the manufacturer and has the obligation to draw up the technical documentation of the device. *Images are purely illustrative and may not fully reflect reality.*

Ermes-Giò Standard Configuration

- Seat adjustable in width, depth also asymmetrically in adduction and abduction
- Kit of inserts for a customised positioning of the pelvis
- Reclining and height adjustable backrest
- Kit of inserts for a customised positioning of the trunk
- Multi-adjustable and removable containment and positioning kit:
 - pelvis (adjustable in width, depth, height, adduction/abduction)
 - arm support (adjustable in width, depth, height, angle, intra/extra rotation)
- Male interface plate
- Outdoor frame Adacta Giò with a solid grey base assembled with female interface plate:
 - Adacta titanium satin anodized frame which plates have the same color of the cover
 - Adjustable single handlebar with folding backrest tubes
 - Reclining mechanism by predetermined plate w/pin 3°, 10°, 18°
 - Seat depth adjustment
 - Continuous Tilt in space by drive lever: from 2° up to 35° (from 6° up to 39°) tilt in space can be up-graded of 4° with an increment of the starting inclination of the frame by operating on the positioning holes of the casters forks
 - Fixed anti-tip system
 - Wheels Kit with brake



Sizes of the user



1 RH	depth of the seat RH	
1 LH	depth of the seat LH	
2 RH	length of the leg RH	
2 LH	length of the leg LH	
3 RH	depth of the thorax RH	
3 LH	depth of the thorax LH	
4	height of the shoulders from the seat plane	
5	width of the thorax	
6	width of the pelvis	

Note: \Diamond = *Standard* O = Optional without up-charge \Box = Optional with up-charge

Mod.Ord.Erm.Giò S.P. EN Rev.10 10/2025 1/4

<u>Ermes</u>															
0	size 2	C	olor O	blue/	grey		0	fuchsia/	/grey						
0	size 3	C	olor O	blue/	grey		0	fuchsia/	/grey						
0	size 4	C	olor O	wine	/grey										
Type o	of the sea	<u>t</u>													
0	lateral/a	MIDI Seat nterior contr <u>d configurati</u>							0	total <u>opti</u>	DEEP Seat control (PTS) onal without up-charge	4			
□ Grea	ter closure	of the seat-	backrest a	ngle (±	<u>ե</u> 5°)										
Thorac	cic Suppo	rts_													
□ Flat	pads							□ Coi	ntour	ed pad	s				
7		Size (cn	n) 1	2	3	4			//	R	Size (cm)	1	2	3	4
+		н	7	7	8	10		H	I		н	6	7	8	10
~	s= 2,5 cm	L	7.5	8.5	10	12		~		5 cm	L	9.5	11	13	16
Side	Size	Brac	ket type*			icket ape		Side	S	iize	Bracket	type*			cket ape
		□ Fixed				3 A					□ Fixed				A
□ RH		☐ Swing-Aw	ay] В		□ RH			□ Swing-Away			□В	
□ LH		□ Fixed				A		□ LH			□ Fixed				
*12 +62 +	achnical info	☐ Swing-Aw				∃ B	2010	ns roachah	la with	the two	☐ Swing-Away types of brackets (A type = L/90° Brac		□ B		
	offset Bracket		end of this for	m you ca	an iinu u	ne aimer	15101	ns reachab	ie with	the two	types of brackets (A	type = i	L/90 Brac	Ket; B ty	/pe =
Belts a	and Harne	esses (values e	expressed in c	m, see c	letails in	the tech	nnica	al informati	ion)						
□ Chest	t pad			□ D	ynami	c Adbu	ıcti	on Harne	ess		□ Pelvic belt	:			
		Size	HxL						XS	(2)*			Size	ŀ	HxL
	0	□ 1	(8x10)	1		2			S	(3)*	PRANC	SI	□ 1	(6:	x11)
		□ 2	(9x13)	1	8		1		М	(4)*			□ 2	(7:	x13)
(with thora	acic supports o	only) 🗆 3	(10x13)	1	A.								□ 3	(7	x15)
□ Dyna	mic Butter	fly Harness	l	□ Ja	acket F	larness	5				□ Contoured	Pelvic	Belt		
	(//		XS (2)*		_				XS	(2)*			Size	ŀ	HxL
			S (3)*			À	-		S	(3)*	6 B	7*	□ 1	(6:	x11)
	M		M (4)*						М	(4)*		3	□ 2	(8:	x15)
	A					2							Value H		
*The nun	mber in the h	rackets is referr	ed to the rele	vant Ern	nes size	Therefo	re it	is advisah	le to co	mbine th	ne default size.			the pad	
		ulti-axial joir								- 1.					
Confort		dware		Ana	tomic etacha			<i>r</i> are			3 piece pads ☐ detachable ☐ fixed hards	hardv		adrest	with
			S							XS			□ 1	(7	x13)
			М				Ī			S			□ 2	(9	x20)
			G			-				M			values ex the oc	opressed	
														_	

2/4 Mod.Ord.Erm.Giò S.P. EN Rev.10 10/2025

Other accessories									
	Knee elevating legrest □ RH (with cover for angle knee)	□ LH							
	separate fo	otplates:	□ LH						
	Footplate options: slotted sep	arate footplates: \Box RH	□ LH						
	□ footboar	d (it does not allow asymm	netry, adduction and	abducti	ion)				
	☐ Shoes Holders								
	Calf support □ RH □ LH								
	□ Calf panel (it does not allow a	•	abduction)						
	Lateral supporting pad for legs □ RH □ LH								
	□ Padded anterior/posterior C	•							
	□ Padding for separate footpla	ates							
Elbow lateral-posterior suppor	□ Padding for footboard t □ RH □ LH								
Elbow lateral-posterior suppor	L LIKII LLII	stand	ard version dimensio	nc					
☐ Grey detachable Tray		Stallo	Size (cm)	L	Р	P1			
with body contouring recess and	d edges	L	2 (for Ermes size 2)	40	35	12			
O standard version O larger version for daily activit	ios	Pi	,						
o larger version for daily activity	ies		3 (for Ermes size 3)	48	40	13.5			
☐ Transparent detachable Tray		P (1)	4 (for Ermes size 4)	58	45	15.5			
with body contouring recess an (only standard version)	d edges	larger version for daily activities dimensions							
(omy standard version)		L	Size (cm)	L	P	P1			
Note: the dimensions of the tray in the <u>standard</u> grey color version and those of the transparent tray are the same, the naming changes (the size 2 of the grey			1 (for Ermes size 2)	50	45	13.7			
			2 (for Ermes size 3)	60	50	15.4			
tray will be the size 1 of the transparent	tray, 3->2, 4->3)	P P ₁	3 (for Ermes size 4)	68	55.6	19.3			
Padding of the tray	□ upper □ lower								
Adacta Giò frame options fo	or Ermes								

Adacta Giò fra	me options for Ermes					
<u>Castors</u>	◊ 150mm (6") poly grey ○ black	175mm (7") poly O grey O black				
	♦ 300mm (12") poly grey with parking brake lever					
	O 300mm (12") poly black with parking brake lever					
	O 300mm (12") pneumatic grey with parking brake lever					
	\square 300mm (12") poly <i>black</i> with drum brake					
	\square 300mm (12") poly <i>grey</i> with drum brake					
	\square 300mm (12") pneumatic <i>grey</i> with drum brake					
	\square 300mm (12") poly <i>black</i> with drum brake and parking brak	e lever				
Posterior	\square 300mm (12") poly <i>grey</i> with drum brake and parking brake	e lever				
Wheels	$\ \square$ 300mm (12") pneumatic grey with drum brake and parking	g brake lever				
<u>vviiceis</u>	☐ 400mm (16") poly <i>black</i> with parking brake lever (only 4st	5 cm height)				
	☐ 400mm (16") poly <i>black</i> with drum brake (only 45 cm he	ight)				
	□ 400mm (16") poly <i>black</i> with drum brake and parking brake lever (only 45 cm height)					
	\square 500mm (20") poly <i>grey</i> without handrims with parking bra	ke lever				
	\square 500mm (20") pneumatic <i>grey</i> without handrims with parki	ng brake lever				
	☐ handrims for 500mm (20") wheels					
	\Box 500mm (20") pneumatic <i>grey</i> with handrims with drum br	ake				
	☐ 500mm (20") pneumatic <i>grey</i> with handrims with drum bi	rake and parking brake lever				
	O Kit for fixed push handles					
	$\hfill\Box$ Kit for telescopic and angle adjustable single handlebar					
Back Posts	$\hfill\Box$ Kit for telescopic push handles with lever block (max adjus	tment 10 cm)				
	☐ Kit for angle adjustable separated handlebar					
	☐ Quick-release pins for easier back reclining					

Mod.Ord.Erm.Giò S.P. EN Rev.10 10/2025 3/4

Tilt in space	◊ with pedal	O with lever				
Canopy adaptor in	cluded		□ Blue	□ Pink	□ Bordeaux	
□ <u>Basket</u>						
□ Rain cover						
Foot muff	□ Blue □ F	Pink □ Bordeaux				
□ Supplementa	ry frame for Tipo	o indoor base				۸۵
 Height adjustal 	ole seat by gas spring					
 Tilt in space by 	gas spring from -5° up i	to ° +30°				Town!
 4 swivel castors 	s (2 with locks)					

Note: If Ermes' sizes 2/3 are choosen, Tipco indoor base will be in white color; if Ermes' size 4 is choosen, Tipco indoor base will be in grey color

Multi-adjustable push handleInterface female plate

TECHNICAL INFORMATION

Ermes		Size 2	Size 3	Size 4	
Width of the Seat (cm)	≤25	18-28	22-35		
Depth of the Seat (cm)		19-26	22-34	31-43	
Height of the trunk (cm)		26-38	33-45	41-53	
\A/; dab of the above (ave.)		bracket A 19-25	bracket A 22-28	bracket A 27-33	
Width of the thorax (cm)		bracket B 14-20	bracket B 17-23	bracket B 22-28	
Max abduction of the leg (°)		16	16	16	
Max adduction of the leg (°)		16	16	16	
Popliteal Space to footplate Length (cm)*		8-19	0.20	0.00	
*if the elevating knee angle is provided			8-29	8-39	
Height of the arm support (cm)		14-19	20-26	20-26	
Backrest Reclining (°)			-3+20	-3+20	
Ermes load (kg)			35	50	
Ermes weight (kg)	Ermes weight (kg)		8.1	12.1	
Contoured hip guide		Size 2	Size 3	Size 4	
#	н	6.5	7	8	
P		17	20	23	
Flat arm support		Size 2	Size 2	Size 3	
P		7.5	7.5	8.5	
		17	20	23	

Note: the postural unit for armrest and the lateral hip pad are combined to the relative size of Ermes and are not interchangeable								
Adacta Giò	Size 2	Size 3	Size 6					
Seat to floor height (cm)	43	43	43					
Width overall dimension (400/500 wheels) (cm)	48	53	58					
Min/max depth overall dimensions (cm)	73-100	75-102	81-109					
Tilt in space (°)	2-35 (from 6 up to 39) Tilt in space (°) tilt in space can be up-graded of 4° with an increment of the starting incli of the frame by operating on the positioning holes of the casters fork							
Predetermined backposts reclining (°)	3-10-18							
Adacta Giò load (standard configuration) (kg)	30	50	50					
Adacta Giò weight (kg)	12.8	13.4	14.5					
Total weight <i>(Adacta Giò+Ermes)</i> (kg)	18	21.5	26.6					
Tipco	Size 2	Size 2	Size 3					
Seat to floor height (cm)	63	63	63					
Width overall dimension (cm)	67	67	67					
Depth overall dimensions (cm)	80	80	88					
Tilt in space (°)	-5+30	-5+30	-5+30					
Tipco Load (kg)	50	50	50					
Total Weight (<i>Tipco+Ermes</i>) (kg)	18.8	21.7	26.1					



PRO MEDICARE S.r.l.

Via Montagna Z.I. Lotto 41-72023 Mesagne (Br)-ITALY Tel: +39-0831-777840

Sito web: www.promedicare.eu e-mail: sales@promedicare.it

Mod.Ord.Erm.Giò S.P. EN Rev.10 10/2025 4/4